This product is for use on hard, non-porous environmental surfaces in: Hospitals, nursing homes, medi and dental offices, patient care rooms & facilities, emergency vehicles, crime scenes, correctional institutio hotels and motels, public restrooms, shower rooms, public transportation, institutions, schools, athle facilities and locker rooms, exercise facilities, spas, tanning salons. This product when used as directed formulated for use on washable hard, non-porous environmental surfaces such as: countertops, sinks, surfaces, drinking fountains, tanning beds, shower stalls, shower doors and glazed tiles, toilet bowl surfac restroom fixtures, windows and mirrors, tables, chairs, glass, metal, stainless steel, glazed porcelain, glaz ceramic, plastic such as polycarbonate or polypropylene, sealed stone.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or care protected.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Schools and Other Non-Medical Facilities): At 4-6 oz. of this product per one gallon of water use level and with a 10-minute contact time, product exhibits effective disinfectant activity on hard non-porous environmental surfaces aga the following: Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faec Enterococcus faecalis Vancomycin resistant – VRE, Escherichia coli, Klebsiella pneumoniae, Legione pneumophilia, Proteus mirabilis, Pseudomonas aeruginosa, PRD-10, Salmonella enterica, Salmone schottmuelleri, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus Methicillin resista Staphylococcus aureus Vancomycin resistant – VISA, Staphylococcus aureus, Community Associat Methicillin Resistant Staphylococcus aureus (CA-MRSA), Streptococcus faecalis, Streptococcus salivariu

FUNGICIDAL PERFORMANCE: At 4 ounces per 1 gallon of water use level and with a 10-minute conta time, this product is effective against the following on pre-cleaned hard non-porous surfaces: Trichoph mentagrophytes

MOLD AND MILDEW PERFORMANCE: At 4 ounces per 1 gallon of water use level and with a 10-minut contact time, this product is effective against the following on hard non-porous surfaces: Aspergillus nige

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS: For use in hospitals, hotels, motels, schools and other non-animal use sites, follow the PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION directions.

This product is not for use on Medical device surfaces.

PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Pre-clean all surfaces when used as a fungicide. Add 4-6 ounces of t product per 1 gallon of water to disinfect hard, non-porous surfaces. Apply use solution using a brush, clo mop, sponge, paper towel, auto scrubber or mechanical spray device or by immersion so as to thoroughly surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfac to remain wet for 10 minutes. Wipe up excess liquid. Rinse all treated surfaces that come in contact with fo such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, spo or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solut becomes visibly dirty.

*KILLS HIV, HCV AND HBV ONPRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDSIn health care settings or other settings in which there is an expected likelihood soiling of hard nonporous environmental surfaces/objects with blood or body fluids and in which the surfa objects likely to be soiled with blood or body fluids can be associated with the potential for transmissio human immunodeficiency virus Type 1 (HIV-1) associated with AIDS, Hepatitis B virus (HBV) and Hepati C virus (HCV).

*SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS." Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protect Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard nonporous environme surfaces and objects before application of this produc Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, and local regulations for infectious waste disposal Contact Time: Leave surfaces wet with 4-6 ounces of this product per one gallon of water solution for 2 minutes for HIV. This contact time will not control other comm types of viruses and bacteria. Leave surfaces wet with 6 ounces of this product per one gallon of water ten minutes for HBV and HCV.

Contract Cleaners
Supply, Inc.

Spectrum

BOWL, BATHROOM & MULTI-SURFACE CONCENTRATE DISINFECTANT

ACTIVE INGREDIENTS:

n-Alkyl(60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride...	0.781%
n-Alkyl(68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....	0.781%
INERT INGREDIENTS:	98.438%
TOTAL:.....	100.000%

KEEP OUT OF REACH OF CHILDREN

WARNING ADVERTENCIA

ADVERTENCIA: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
WARNING: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or g for treatment.IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minut Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a pois control center or doctor for treatment advice.IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control cer or doctor for treatment advice.IF SWALLOWED: Call a poison control center or doctor immediately fo treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting un told to do so by a poison control center or doctor. Do not give anything by mouth to an unconsc person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulanc then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control cente doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

E.P.A. REG. NO. 10324-167-37687 E.P.A. EST. NO. 8155-OH-1

Net Contents: One Quart (32 Fl. Oz.) 946 ml

FOR USE AS A NON-ACID BOWL CLEANER/DISINFECTANT IN TOILET BOWLS FROM CONCENTRATE:
1. Preclean heavily soiled areas. 2. Add 4 ounces of this product directly into toilet bowl. 3. Swab entire surface area especially under the rim. 4. Repeat and allow entire surface to remain wet for ten minutes. 5. Flush toilet and rinse swab applicator thoroughly.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE OPEN AREAS WITH FLOOR DRAINS:
1. Preclean heavily soiled areas. 2. Apply use solution of 4 ounces of this product to one gallon of water to floors, walls and ceilings making sure not to over spray. To disinfect, all hard nonporous environmental surfaces must remain wet for 10 minutes. 3. Scrub surface using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

MILDEWSTAT: Controls the growth of mold and mildew on pre-cleaned hard, non-porous environmental surfaces such as floors, walls, table tops. Add 4 oz. of this product per one gallon of water. Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for ten minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

PREPARATION OF CLEANING/DEODORIZING USE SOLUTIONAdd 4 to 8 ounces of this product to one gallon of water.

CLEANING/DEODORIZING DIRECTIONSUse cleaning/deodorizing solution to clean and deodorize windows, mirrors, glass and other surfaces. Apply solution with a brush, mop, cloth, sponge, auto scrubber, or mechanical spray device, coarse pump or trigger spray device so as to wet all surfaces thoroughly. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, sponge, mop, or cloth. Wipe up excess liquid. Change cloth, sponge or towels frequently to avoid redeposition of soil.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. KEEP OUT OF REACH OF CHILDREN. Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE: Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Contract Cleaners *Supply, Inc.* 15 Portland Road • W. Coshochocken, PA 19428 E-12
TO REORDER CALL: (610) 825-1060 (800) 887-2500 072914

This product is for use on hard, non-porous environmental surfaces in: Hospitals, nursing homes, medi and dental offices, patient care rooms & facilities, emergency vehicles, crime scenes, correctional institutio hotels and motels, public restrooms, shower rooms, public transportation, institutions, schools, athle facilities and locker rooms, exercise facilities, spas, tanning salons. This product when used as directed formulated for use on washable hard, non-porous environmental surfaces such as: countertops, sinks, surfaces, drinking fountains, tanning beds, shower stalls, shower doors and glazed tiles, toilet bowl surfac restroom fixtures, windows and mirrors, tables, chairs, glass, metal, stainless steel, glazed porcelain, glaz ceramic, plastic such as polycarbonate or polypropylene, sealed stone.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or care protected.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Schools and Other Non-Medical Facilities): At 4-6 oz. of this product per one gallon of water use level and with a 10-minute contact time, product exhibits effective disinfectant activity on hard non-porous environmental surfaces aga the following: Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faec Enterococcus faecalis Vancomycin resistant – VRE, Escherichia coli, Klebsiella pneumoniae, Legione pneumophilia, Proteus mirabilis, Pseudomonas aeruginosa, PRD-10, Salmonella enterica, Salmone schottmuelleri, Serratia marcescens, Shigella dysenteriae, Staphylococcus aureus Methicillin resista Staphylococcus aureus Vancomycin resistant – VISA, Staphylococcus aureus, Community Associat Methicillin Resistant Staphylococcus aureus (CA-MRSA), Streptococcus faecalis, Streptococcus salivariu

FUNGICIDAL PERFORMANCE: At 4 ounces per 1 gallon of water use level and with a 10-minute conta time, this product is effective against the following on pre-cleaned hard non-porous surfaces: Trichoph mentagrophytes

MOLD AND MILDEW PERFORMANCE: At 4 ounces per 1 gallon of water use level and with a 10-minut contact time, this product is effective against the following on hard non-porous surfaces: Aspergillus nige

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS: For use in hospitals, hotels, motels, schools and other non-animal use sites, follow the PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION directions.

This product is not for use on Medical device surfaces.

PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Pre-clean all surfaces when used as a fungicide. Add 4-6 ounces of t product per 1 gallon of water to disinfect hard, non-porous surfaces. Apply use solution using a brush, clo mop, sponge, paper towel, auto scrubber or mechanical spray device or by immersion so as to thoroughly surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfac to remain wet for 10 minutes. Wipe up excess liquid. Rinse all treated surfaces that come in contact with fo such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, spo or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solut becomes visibly dirty.

*KILLS HIV, HCV AND HBV ONPRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDSIn health care settings or other settings in which there is an expected likelihood soiling of hard nonporous environmental surfaces/objects with blood or body fluids and in which the surfa objects likely to be soiled with blood or body fluids can be associated with the potential for transmissio human immunodeficiency virus Type 1 (HIV-1) associated with AIDS, Hepatitis B virus (HBV) and Hepati C virus (HCV).

*SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS." Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protect Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard nonporous environme surfaces and objects before application of this produc Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, and local regulations for infectious waste disposal Contact Time: Leave surfaces wet with 4-6 ounces of this product per one gallon of water solution for 2 minutes for HIV. This contact time will not control other comm types of viruses and bacteria. Leave surfaces wet with 6 ounces of this product per one gallon of water ten minutes for HBV and HCV.

Contract Cleaners
Supply, Inc.

Spectrum

BOWL, BATHROOM & MULTI-SURFACE CONCENTRATE DISINFECTANT

ACTIVE INGREDIENTS:

n-Alkyl(60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride...	0.781%
n-Alkyl(68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....	0.781%
INERT INGREDIENTS:	98.438%
TOTAL:.....	100.000%

KEEP OUT OF REACH OF CHILDREN

WARNING ADVERTENCIA

ADVERTENCIA: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
WARNING: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or g for treatment.IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minut Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a pois control center or doctor for treatment advice.IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control cer or doctor for treatment advice.IF SWALLOWED: Call a poison control center or doctor immediately fo treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting un told to do so by a poison control center or doctor. Do not give anything by mouth to an unconsc person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulanc then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control cente doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

E.P.A. REG. NO. 10324-167-37687 E.P.A. EST. NO. 8155-OH-1

Net Contents: One Quart (32 Fl. Oz.) 946 ml

FOR USE AS A NON-ACID BOWL CLEANER/DISINFECTANT IN TOILET BOWLS FROM CONCENTRATE:
1. Preclean heavily soiled areas. 2. Add 4 ounces of this product directly into toilet bowl. 3. Swab entire surface area especially under the rim. 4. Repeat and allow entire surface to remain wet for ten minutes. 5. Flush toilet and rinse swab applicator thoroughly.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE OPEN AREAS WITH FLOOR DRAINS:
1. Preclean heavily soiled areas. 2. Apply use solution of 4 ounces of this product to one gallon of water to floors, walls and ceilings making sure not to over spray. To disinfect, all hard nonporous environmental surfaces must remain wet for 10 minutes. 3. Scrub surface using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

MILDEWSTAT: Controls the growth of mold and mildew on pre-cleaned hard, non-porous environmental surfaces such as floors, walls, table tops. Add 4 oz. of this product per one gallon of water. Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for ten minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or more often if use solution becomes visibly soiled.

PREPARATION OF CLEANING/DEODORIZING USE SOLUTIONAdd 4 to 8 ounces of this product to one gallon of water.

CLEANING/DEODORIZING DIRECTIONSUse cleaning/deodorizing solution to clean and deodorize windows, mirrors, glass and other surfaces. Apply solution with a brush, mop, cloth, sponge, auto scrubber, or mechanical spray device, coarse pump or trigger spray device so as to wet all surfaces thoroughly. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, sponge, mop, or cloth. Wipe up excess liquid. Change cloth, sponge or towels frequently to avoid redeposition of soil.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. KEEP OUT OF REACH OF CHILDREN. Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE: Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Sold By:

Contract Cleaners *Supply, Inc.* 15 Portland Road • W. Coshochocken, PA 19428 E-12
TO REORDER CALL: (610) 825-1060 (800) 887-2500 072914